



- 3/4" thermostatic valve and trim
- 3/4" stop/volume control valve and 2-way diverter valve and trims
- 8" showerhead with 11" wall-mounted shower arm
- Showerhead features no-clog, easy-clean spray nozzles
- Flush-mounted swivel body sprays (3 pieces)
- Handshower set with wall-mounted slide bar and 59" hose
- Handshower set with wall-mounted slide bar and 59" hose
- Flow rates: showerhead ≤ 1.8 max gpm, handshower ≤ 1.5 max gpm, body sprays ≤ 1.5 max gpm each
- ADA





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome



Polished Nickel



SteeInox®



Vintage (Satin Nickel) Brushed Brass





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs





G-8031-C3E-T





Information

- Single metal handle and decorative trim plate
- Use with G-8006 thermostatic rough valve
- ADA



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome



Polished Nickel



 $SteeInox \\ \circledR$



(Satin Nickel) Brushed Brass



G-8034-C3E1-T



Information

- Single metal handle and decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve
- ADA



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome



olished F



Polished Nickel



Steelnox®



Steelnox® Vintage (Satin Nickel) Brushed Brass

G-8038-C3E1-T





Information

- Single metal handle and decorative trim plate
- Use with G-8052 2-Way Diverter Volume Control Valve WITH Off Function and Pass-Through
- ADA



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome



Polished Nickel



SteeInox®




(Satin Nickel) Brushed Brass

Through

G-8052





Information

- 11.7 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Operates one function at a time
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome



Polished Nickel





SteeInox® Vintage (Satin Nickel) Brushed Brass





- 12.1 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance

• CALGreen

Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs





G-8076



Information

- 12.3 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome



Polished Nickel



SteeInox®



(Satin Nickel) Brushed Brass





- 13.2 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs





G-8410





Information

- Sunflower shape
- 112 no-clog, easy-clean rubber spray nozzles
- Metal ball-joint allows for showerhead angle adjustment
- Showerhead flow rate ≤ 1.8 max gpm
- Recommend use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- CALGreen



24K Gold



24K Brushed Olive Bronze Gold



Polished Chrome




Polished Nickel



SteeInox®



Vintage (Satin Nickel) Brushed Brass







- 12 no-clog, easy-clean silicone jets
- Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon complements and flush-mounted trim
- Body spray flow rate ≤1.5 max gpm



24K Gold





24K Brushed Olive Bronze Gold



Polished Chrome



Polished Nickel





SteeInox® (Satin Nickel) Brushed Brass






- 12 no-clog, easy-clean silicone jets
- Metal ball-joint allows for 18° angle adjustment of body spray
- Brass wall escutcheon and Flushmounted trim
- Body spray flow rate ≤ 1.5 max gpm

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty



Available Finishes

- Polished Chrome G-8492-PC
- Polished Nickel G-8492-PN
- Brushed Nickel G-8492-BNi
- Unfinished Brushed Brass* G-8492-UBB*
- Unfinished Brass*
 G-8492-UB*
- Matte Black*G-8492-MBK*
- Architectural Black*
 G-8492-BK*
- Architectural White*
 G-8492-WT*
- Olive Brass G-8492-OB
- Gunmetal* G-8492-GM*
- Vintage Brushed Brass* G-8492-VBB*
- Steelnox G-8492-SN
- OR'osa PVD*
 G-8492-RG*
- Onyx PVD*
 G-8492-OX*
- Polished Brass PVD*
 G-8492-PB*
- Brushed Brass PVD*
 G-8492-BB*
- Brushed Gold*
 G-8492-BAU*
- Gold* G-8492-AU*
- Gunmetal Distressed*
 G-8492-GMD*





- Includes arm and flange
- 1/2" NPT male thread inlet
- For use with all showerheads



24K Gold



24K Brushed Olive Bronze



Polished Chrome



Polished Nickel



SteeInox®



Vintage (Satin Nickel) Brushed Brass






- Includes arm and round flange
- 1/2" NPT male thread inlet
- For use with all showerheads

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



Available Finishes

- Polished Chrome G-8508-PC
- Brushed Nickel G-8508-BNi
- Polished Nickel G-8508-PN
- Unfinished Brass*
 G-8508-UB*
- Unfinished Brushed Brass* G-8508-UBB*
- Matte Black* G-8508-MBK*
- Architectural Black* G-8508-BK*
- Architectural White* G-8508-WT*
- Steelnox (Satin Nickel)*
 G-8508-SN*
- Oive Bronze* G-8508-OB*
- Gunmetal* G-8508-GM*
- Vintage Brushed Brass* G-8508-VBB*
- OR'osa PVD*
 G-8508-RG*
- Onyx PVD*
 G-8508-OX*
- Polished Brass PVD*
 G-8508-PB*
- Brushed Brass PVD*
 G-8508-BB*
- 24K Gold*
 G-8508-AU*
- 24K Brushed Gold*
 G-8508-BAU*
 - * Special order finish- call for availability





- Solid brass construction
- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤1.5 max gpm
- CALGreen



24K Gold



24K Brushed Olive Bronze Gold





Polished Chrome



Polished Nickel




SteeInox®



(Satin Nickel) Brushed Brass

Traditional Handshower G-8604







• Brass spiral flexible hose with conical nut



24K Gold



24K Brushed Olive Bronze



Polished Chrome



Polished Nickel





SteeInox® (Satin Nickel) Brushed Brass





 Brass spiral fexible hose with conical nut

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty



Available Finishes

- Polished Chrome G-8605-PC
- Polished Nickel G-8605-PN
- Brushed Nickel G-8605-BNi
- Unfinished Brushed Brass* G-8605-UBB*
- Unfinished Brass*
 G-8605-UB*
- Matte Black*
 G-8605-MBK*
- Architectural Black*
 G-8605-BK*
- Architectural White* G-8605-WT*
- Olive Brass*G-8605-OB*
- Gunmetal* G-8605-GM*
- Vintage Brushed Brass*
 G-8605-VBB*
- Steelnox (Satin Nickel)
 G-8605-SN
- 24K Brushed Gold*
 G-8605-BAU*
- 24K Gold*
 G-8605-AU*
- Gunmetal Distressed*
 G-8605-GMD*

^{*} Special order finish- call for availability





• 1/2" NPT female thread inlet



24K Gold



24K Brushed Olive Bronze





Polished Chrome



Polished Nickel




SteeInox®



(Satin Nickel) Brushed Brass

G-8663 CAMDEN Series







G-8691-C16SB



Information

- 27" tall wall-mounted slide bar
- Adjustable bracket fits all hoses with conical nut



24K Gold



24K Brushed Olive Bronze Gold





Polished Chrome



Polished Nickel



SteeInox®



Vintage (Satin Nickel) Brushed Brass

G-8691-C16S 4-1/16" (102mm) Camden Series 2-3/16" (56mm) Ø <u>1</u>6 13/16" (20mm)