30 295

ESSENCE



SINGLE-HANDLE SEMI-PRO DUAL SPRAY KITCHEN FAUCET 1.75 GPM

STANDARD SPECIFICATION:

- GROHE SilkMove®
- GROHE StarLight®
- 20 7/8" Faucet height
- 7 3/4" Aerator height
- 9 7/16" Faucet reach
- Dual spray with toggle function: switches between regular water flow and spray without turning off the water
- 360° Swivel radius
- GROHE EasyDock M integrated and seamless docking of the spray head
- · Integrated temperature limiter
- Adjustable flow rate limiter
- Single lever handle
- Forward rotating lever to prevent backsplash interference
- Solid metal professional spray
- 1.75gpm
- CALGreen compliant



PRODUCT FEATURES:



GROHE StarLight®



GROHE SilkMove®



Speed Clean®

CERTIFICATIONS:



- ADA
- CEC Certified
- Low Lead Certified
- CALGreen Compliant
- Massachusetts Plumbing Board Approved
- Energy Policy Act of 1992
- NSF 61
- NSF 372
- CSA B125.1
- ASME A112.18.1
- · Complies with lead plumbing laws

AVAILABLE FINISHES:

30295000

GROHE StarLight® Chrome

302952430

Matte Black

30295A00

Hard Graphite

30295DC0

SuperSteel InfinityFinish™

30295GN0

Brushed Cool Sunrise

NOTE: Install this product according to the installation guide. ADA, CSA compliant when installed to the specific requirements of these regulations. We reserve the right to make revisions without notice to product specifications. 06-03-2022

US

Tel: 1.630.582.7711 Fax: 1.630.582.7722 For the most current Specification Sheet, go to www.grohe.us.

Canada Tel: 1.888.644.7643 Fax: 1.905.366.2071 For the most current Specification Sheet, go to www.grohe.ca.



30 295

ESSENCE



SINGLE-HANDLE SEMI-PRO DUAL SPRAY KITCHEN FAUCET 1.75 GPM

TECHNICAL DATA:

Product Height 20-14/16 in

Product Length 11-6/16 in

Product Width 5-7/16 in

Fitting Spout Height 7-3/4 in

Fitting Spout Reach 9-7/16 in

GPM (Min)-GPM (Max) 1.75 gal (US)/min

Fitting No of Holes Required 1

